AMPHIPOD NEWSLETTER 24

Produced Tromsø, December 2002 Wim Vader, wim@tmu.uit.no

This newsletter contains the usual bibliography and index to new taxa. In addition I have, with the permission of the author, included a modern classification of Lake Baikal amphipods, extracted from the recent (2001) catalogue by Prof. Ravil Kamaltynov (see bibliography).

The university library of Tromsø University unfortunately has the same economic problems as many other academic institutions these days, and this means also that it is increasingly difficult to keep this bibliography somewhat complete. If you find this compilation of value, please help out by sending me references, or better still, reprints, of your amphipod papers. Many thanks in advance!! In return I have over the years helped out many colleagues with copies of papers they could them procure themselves.

Wim Vader

AMPHIPOD NEWSLETTER 24. BIBLIOGRAPHY

AFLI, A. & F. CHENIER 2002. Etat de la santé de la macrofaune benthique et role des espèces invasives dans le Gulfe du Morbihan (Bretagne, France). ---- *Vie et Milieu 52*, 43-57.

AFLI, A. & M. GLÉMAREC 2000. Fluctuation à long terme des peuplements macrobenthiques dans le Golfe de Morbihan (Bretagne, France). ---- Cahiers de Biologie Marine 41, 67-89.

AIKINS, S. & E. KIKUCHI 2001. Studies on habitat selection by amphipods using artificial substrates within an estuarine environment. ---- *Hydrobiologia* 457, 77-86. (Four amphipod spp in a brackish lagoon in Japan. Not seen)

ALIBERT, P., L. BOLLACHE, D. CORBERANT, V. GUESDON & F. CÉZILLY 2002. Parasitic infection and developmental stability: fluctuating

asymmetry in *Gammarus pulex* infected with two acanthocephalan species. ---- *Journal of Parasitology 88*, 47-54.

ALJETLAWI, A.A. & Kj. LEONARDSSON 2002. Size-dependent competitive ability in a deposit-feeding amphipod, *Monoporeia affinis. ---- Oikos 97*, 31-44.

ALVAREZ, F., I. WINFIELD & S. CHAZARO 2000. Population study of the landhopper *Talitroides topitotum* (Crustacea: Amphipoda: Talitridae) in central Mexico. ---- *Journal of Natural History 34*, 1619-1624.

AMSLER, C.D., K.B. IKEN, J.B.McCLINTOCK, F. B.FURROW & B.J.BAKER 2001. The beginnings of Antarctic macroalgal chemical ecology: Defenses against herbivores in a nitrogen replete, carbon limited ocean. ---- *Journal of Phycology 37*, 5-?.

AMSLER, C.D., J.B. McCLINTOCK & B.J.BAKER 2001. Secondary metabolites as mediators of trophic interactions among Antarctic marine organisms. ---- *American Zoologist 41*, 17-26.

APPADOO, Ch., A.A. MYERS & I. FAGOONEE 2002. The genera *Quadrimaera* and *Maera* (Amphipoda: Gammaridea: Melitidae) from Mauritius. ---- *Journal of Natural History 36*, 641-673. (Deals with *Quadrimaera micheli* n.sp., *Q. mirandella* n.sp., *Q of pacifica, Q. serrata, Maera serratipalma, M. mooreana, M. hamigera*, and *M. octodens*, all from shallow water algal biotopes on Mauritius.)

APPADOO, Ch., A.A.MYERS & I. FAGOONEE 2002. The genus *Mallacoota* (Crustacea, Amphipoda, Melitidae) from Mauritius, with description of a new species. ---- *Journal of Natural History 36*, 767-796. (Deals with *Mallacoota caerulea* n.sp., *M. schellenbergi, M. latibrachium, M. insignis*, and *M* spec., all from shallow water algal biotopes on Mauritius.)

ARIANI, A.P., M.M.CAMASSE & K.J.WITTMANN 2000. The dolinas of Torre Castiglione (Gulf of Tarent, Italy): Environmental and faunistic aspects of a semi-hypogean water system. ---- *Mémoires de Biospéologie 27*, 1-14.

ARIYAMA, H. 2002. *Paragrandidierella minima*, a new genus and species of Aoridae (Crustacea: Amphipoda) from Osaka Bay, Central Japan. ---- *Species Diversity* 7, 155-163.

- ARNDT, C.E. 2002. Feeding ecology of the Arctic ice-amphipod *Gammarus* wilkitzkii. Physiological, morphological and ecological studies. ---- Berichte zur Polar- und Meeresforschung 405, 1-74.
- AUEL, H., M. HARJES, R. da ROCHA, D. STÜBING & W. HAGEN, 2002. Lipid biomarkers indicate different ecological niches and trophic relationships of the Arctic hyperiid amphipods *Themisto abyssorum* and *Th. libellula*. ---- *Polar Biology*, on line.
- BALDANOVA, D.R. & N.M.PRONIN 2001. (Gammarids as intermediate hosts of acanthocephalans.) ---- Pp 50-54 in V.V.Takhteev (ed.). (Researches of the water fauna of east Siberia basins.) Irkutsk State University, Irkutsk. 166 pp (In Russian. Four species of Acanthocephala found in L.Baikal amphipods.)
- BALDINGER, A. & M.J.GABLE 2002. The genus *Podocerus* (Crustacea: Amphipoda: Podoceridae) from Guana Island, British Virgin Islands. ---- *Postilla 226*, 1-21. (Deals with *P. jareckii* n.sp. and *P. fissipes*, recently described from Brazil and new to the Caribbean.)
- BARROS, F., A.J.UNDERWOOD & M. LINDEGARTH 2002. A preliminary analysis of the structure of benthic assemblages of surf zones on two morphodynamic types of beach. ---- *Journal of the Marine Biological Association UK 82*, 353-357. (near Sydney, Australia)
- BELAN, T.A. 1999. A preliminary study of the benthic macrofauna ecology in the area between Tumangong (Tumen) river mouth and Furugelm Island in 1996. ---- *Ocean Research 21*, 1-11. (Not seen).
- BERGE, J., C. DE BROYER & W. VADER 2000. Revision of the Antarctic and sub-antarctic species of the family Stegocephalidae (Crustacea: Amphipoda) with description of two new species. ---- Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Biologie 70, 217-233. (Deals with Andaniexis ollii n.sp. (61*19'S, 57*02'W), Euandania nonhiata, Phippsiella kergueleni and Phippsiella watlingi n.sp.(74*28'S, 29*42'W, 1150m). A table listing the distribution of all described Stegocephalidae is provided, and all 19 spp occurring in the regio are reported in more detail) BEUCHEL, F. & O.J.LØNNE 2002. Population dynamics of the sympagic amphipods Gammarus wilkitzkii and Apherusa glacialis in sea ice north of Svalbard. ---- Polar Biology 25, 241-250.

- BORGÅ, K., G.W.GABRIELSEN & J.U.SKAARE 2001. Biomagnification of organochlorines along a Barents sea food-chain. ---- *Environmental Pollution* 113, 187-198. (i.a. *Parathemisto libellula*)
- BORGÅ, K., G.W. GABRIELSEN & J.U.SKAARE 2002. Differences in contamination between pelagic and sympagic invertebrates in the Arctic marginal ice zone: Influence of habitat, diet and geography. ---- *Marine Ecology Progress Series*?, ?-?. (only seen as part of PhD thesis)
- BORGÅ, K., B. GULLIKSEN, G.W.GABRIELSEN & J.U.SKAARE 2002. Size-related bioaccumulation and between-year-variation of organochlorines in ice-associated amphipods from the Arctic Ocean. ---- *Chemosphere 46*, 1383-1392.
- BORGÅ, K., M. POLTERMANN, A. POLDER, O. PAVLOVA, B. GULLIKSEN, G.W.GABRIELSEN & J.U.SKAARE 2002. Influence of diet and sea ice drift on organochlorine bioaccumulation in Arctic ice-associated amphipods. ---- *Environmental Pollution 117*, 47-60.
- BOZZANO, A. & F. SARDA 2002. Fishery discard consumption rate and scavenging activity in the northwestern Mediterranean Sea. ---- *ICES Journal of Science 59*, 15-28. (Not seen, alas)
- BRADBURY, J.H. 2002. Melitid amphipods of Barrow Island, Western Australia. Part II—Recent discoveries. ---- *Records of the West Australian Museum 21*, 83-103. (Deals with *Nedsia chevronia* n.sp., *N. stefania* n.sp., and *N. halleti* n.sp., all part of the remarkably diverse freshwater fauna of this dry island.)
- BRUYS, M.C.M., B. KELLEHER, G.v.d.VELDE & A.bij de VAATE 2001. Oxygen consumption, temperature and salinity tolerance of the invasive amphipod *Dikerogammarus villosus*: Indicator, of further dispersal, via ballast water transport. ---- *Archiv für Hydrobiologie 152*, 633-646.
- BUHLMANN, K.A. 2001. A biological inventory of eight caves in northwestern Georgia with conservation implications. ---- *Journal of Cave and Karst Studies* 63, 91-98.
- BULNHEIM, H.-P. 2002. Verweiblichende Wirkung von Mikrosporidien. ---- *Naturwissenschaftliche Rundschau 55*, 43-44. (*Nosema granularis* in *Gammarus duebeni*.)

- BUND, W.J. v.d., W. GOEDKOOP & R.K.JOHNSON 1994. Effects of deposit-feeder activity on bacterial production and abundance in profundal lake-sediment. ---- *Journal of the North-American Benthological Society 13*, 532-539 (i.a. *Monoporeia affinis*)
- BURD, B.J. 2002. Evaluation of mine tailings effects on a benthic marine infaunal community over 29 years. ---- *Marine Environmental Research 53*, 481-519. ("Amphipods were particularly affected by tailings.")
- CAPARIS, M.E. & P.S.RAINBOW 1994. Accumulation of cadmium associated with sewage sludge by a marine amphipod crustacean. ---- *The Science of the Total Environment 156*, 191-198.
- CHAPMAN, P.M., K.T.HO, W.R.MUNNS, K.SOLOMONS & M.P.WEINSTEIN 2002. Issues in sediment toxicity and ecological risk assessment. ---- *Marine Pollution Bulletin 44*, 271-278.
- CHAPMAN, M.A., I.D.HOGG, K.E.SCHNABEL & M.I.STEVENS 2002. Synonymy of the New Zealand corophiid amphipod genus, *Chaetocorophium* Karaman, 1979, with *Paracorophium* Stebbing, 1899: Morphological and genetic evidence. ---- *Journal of the Royal Society of New Zealand 32*, 229-241.
- CHEREL, Y., P. BOCHER, C.DE BROYER & K.A.HOBSON 2002. Food and feeding ecology of the sympatric Thin-billed *Pachyptila belcheri* and Antarctic *P. desolata* Prions at Iles Kerguelen, Southern Indian Ocean. ---- *Marine Ecology Progress Series 228*, 263-281. (*Themisto gaudichaudii* dominant prey for both these seabirds.)
- COLEMAN, C.O. 2002. The transverse apodeme bridge from the cephalothorax of Amphipoda (Crustacea) and its significance for systematics. ---- *Journal of Natural History 36*, 37-49. (Not seen)
- COLEMAN, C.O. & A. LEISTIKOW 2001. Supralitoral talitrid Amphipoda and oniscid isopods (Crustacea) from the southwest African coast. ---- *Organismic Diversity & Evolution 1, Electronic Supplement 3*, 1-32. (Deals with *Talorchestia skoogi, T. quadrispinosa, T. tricornuta, T. capensis*, and various isopods. Full redescriptions and illustrations.)
- COLOMBINI, I., A. ALOIA, M.F.BOUSLAMA, M. ELGTARI, M. FALLACI, L. RONCONI, F. SCAPINI & L. CHELAZZI 2002. Small-scale spatial and seasonal differences in the distribution of beach arthropods on the northwestern

- Tunisian coast. Are species evenly distributed along the shore? ---- *Marine Biology, Berlin 140*, 1000-1012. (The answer, not surprisingly, is No.)
- CORREIA, A.D. & M.H.COSTA 2000. Effects of sediment geochemical properties on the toxicity of copper-spiked sediments to the marine amphipod *Gammarus locusta. ---- The Science of the Total Environment 247*, 99-106.
- CORREIA, A.D., M.H.COSTA, K.P.RYAN & J.A.NOTT 2002. Studies on biomarkers of copper exposure and toxicity in the marine amphipod *Gammarus locusta* (Crustacea): I. Copper-containing granules within the midgut glands. --- *Journal of the Marine Biological Association UK 82*, 827-834.
- CORREIA, A.D., G. LIMA, M.H.COSTA & D.R.LIVINGSTONE 2002. Studies on biomarkers of copper exposure and toxicity in the marine amphipod *Gammarus locusta* (Crustacea). I. Induction of metallothionein and lipid peroxidation. ---- *Biomarkers* 7, 422-437.
- CORREIA, A.D., A.L.PEREIRA, M.H.COSTA & F. CARRIPIÇO 2002. Functional anatomy of the midgut gland of *Gammarus locusta* (Crustacea: Amphipoda. ---- *Journal of the Marine Biologial Association UK 82*, 201-204.
- DAUBY, P., Y. SCAILTEUR, G. CHAPELLE & C DE BROYER 2001. Potential impact of the main benthic amphipods on the eastern Weddell Sea shelf ecosystem (Antarctic). ---- *Polar Biology 24*, 657-662.
- DE BROYER, Cl., J.-H. HECQ & S. VANHOVE 2001. *Life under the sea: biodiversity of the Southern Ocean.* ---- Pp 271-286 in H. Decleir & C. De Broyer (eds). The Belgica Expedition: centennial perspectives on Antarctic sciences and history. Brussels University Press, Brussels.
- DE BROYER, Cl., Y. SCAILTEUR, G. CHAPELLE & M. RAUSCHERT, 2001. Diversity of epibenthic habitats of gammaridean amphipods in the eastern Weddell Sea. ---- *Polar Biology 24*, 744-753.
- DE ROBERTIS, A., K. EIANE & G.H.RAU 2001. Eat and run: Anoxic feeding and subsequent aerobic recovery by *Orchomene obtusus* in Saanich Inlet, British Columbia. ---- *Marine Ecology Progress Series 219*, 221-227.
- DellVALLS, T.A., J.M.FORJA & A. GOMEZ-PARRA 2002. Seasonality of contamination, toxicity, and quality values in sediments from littoral

- ecosystems in the Golf of Cadiz (SW Spain). ---- Chemosphere 46, 1033-1043. (Microdeutopus gryllotalpa as test animal).
- DERMOTT, R. 2001. Sudden disappearance of the amphipod *Diporeia* from eastern Lake Ontario, 1993-1995. ---- *Journal of Great Lakes Research* 27, 423-433.
- DIAZ-YUSBELLY, J. & A. MARTIN 2001. New records of amphipods (Crustacea: Amphipoda) from shallow waters of the Caribbean coast of Venezuela. ---- *Revista de Biologia Tropical 49*, 1271-1276. (Not seen)
- DICK, J.T., R.J.BAILEY & R.W.ELWOOD 2002. Maternal care in the rockpool amphipod *Apherusa jurinei*: developmental and environmental clues. *Animal Behaviour 63*, 707-713. (Not seen).
- DICK, J.T.A. & D. PLATVOET 2000. Invading predatory crustacean *Dikerogammarus villosus* eliminates both native and exotic species. ---- *Proceedings of the Royal Society of London B267*, 977-983.
- DICK, J.T.A. & D. PLATVOET 2001. Predicting future aquatic invaders; the case of *Dikerogammarus villosus*. ---- Aquatic Nuisance Species Digest 4, 25-27.
- DICK, J.T.A., D. PLATVOET & D.W.KELLY 2002. Predatory impact of the freshwater invader *Dikerogammarus villosus* (Crustacea: Amphipoda). ---- *Canadian Journal of Fisheries and Aquatic Sciences* 59, 1078-1084.
- DUCROTAY, J.-P. & F. IBANEZ 2002. Ecological groups of estuarine macrobenthic invertebrates in the Baie de Somme (France): Changes in time and space. ---- *Journal of the Marine Biological Association UK 82*, 749-769. DUNHAM, J.S. & D.A.DUFFUS 2002. Diet of Gray Whales (*Eschrichtius robustus*) in Clayoquat Sound, British Columbia, Canada. ---- *Marine Mammal Science 18*, 419-437. (*Ampelisca* spp very important in diet.)
- EIANE, K. & M. DAASE 2002. Observations of mass mortality of *Themisto libellula* (Amphipoda, Hyperiidae). ---- *Polar Biology 25*, 396-398.
- ESCOBAR-BRIONES, E., I. WINFIELD, M. ORTIZ, R. GASCA & E. SUAREZ 2002. *Amphipoda*. ---- Pp 341-371 in J. Ll. Bousquets & J.J. Morrona (eds). Biodiversidad, taxonomia y biogeografia de arthropodos de Mexico.

- Hacia una sintesis de su conocimiento. Vol. III. Mexico 2002. (An important paper with much information about a little-known area.)
- FADIL, F. & M. DAKKI 2001. Remarques sur la présence du genre *Gammarus* (Crutacés, Amphipodes) au Maroc, avec description d'une nouvelle espèce. ---- *Beaufortia 51* (9), 153-161. (*G. maroccanus* n.sp. from freshwater in central Morocco. Also distribution maps for *G. gauthieri*, *G. alcalceolatus*, *G. rouxi* and *G. microps*.)
- FAIRY, R., E.R.LONG, C.A.ROBERTS, B.S.ANDERSON, B.M.PHILLIPS, J.W.HUNT, H.R.PUCKETT & C.J. WILSON 2001. An evaluation of methods for calculating mean sediment quality guideline quotients as indicators of contamination and acute toxicity to amphipods by chemical mixtures. ---
 Environmental Toxicology & Chemistry 20, 2276-2286.
- FAY, J.A. et al. 2001. *Guide to the freshwater invertebrates of Southern Africa. Volume 4: Crustacea III. Bathynellacea, Amphipoda, Isopoda, Spelaeogriphacea, Tanaidacea, and Decapoda.* ---- C.of P., S.Africa (Not seen. Can anybody get me the complete reference?)
- FJELLHEIM, A., A. TYSSE & V. BJERKNES 2001. Reappearance of highly acid-sensitive invertebrates after liming of an alpine lake ecosystem. ---- *Water, Air and Soil Pollution 131*, 1391-1396. (i.a. *Gammarus lacustris*)
- FRELON-RAIMOND, M., V.B.MEYER-ROCHOW, A. UGOLINI & G. MARTIN 2002. Intracerebral ocelli in an amphipod: Extraretinal photoreceptors of the sandhopper *Talitrus saltator* (Crustacea: Amphipoda). ---- *Invertebrate Biology 121*, 73-78
- FRIBERG, N., A.D.LARSEN, A. RØDKJÆR & A.G.THOMSEN 2002. Shredder guilds in three Danish forest streams contrasting in forest type. ---- *Archiv für Hydrobiologie 153*, 197-215.
- GALAY BURGOS, M. & P.S.RAINBOW 1998. Uptake, accumulation and excretion by *Corophium volutator* (Crustacea: Amphipoda) of zinc, cadmium and cobalt added to sewage sludge. ---- *Estuarine*, *Coastal and Shelf Science* 47, 603-620.
- GEEL, T.A., I.V. MEKHANIKOVA & V.I. TASNAVSKY 2001. (On the resistance of some endemic amphipods of Lake Baikal to pollutants.) ---- Pp 116-124 in V.V.Takhteev (ed.).(Researches in the water fauna of East Siberia

basins.) Irkutsk State University, Irkutsk. 166 pp. (In Russian. (Data on 12 spp of Amphipoda, phenol compounds and heavy metals.)

GOEDKOOP, W. & R.K.JOHNSON 1994. Exploitation of sediment bacterial carbon by juveniles of the amphipod *Monoporeia affinis. ---- Freshwater Biology 32*, 553-563.

GOEDKOOP, W. & R.K.JOHNSON 2001. Factors affecting population fluctuations of the glacial relict amphipod *Monoporeia affinis* (Lindström) in Sweden's largest lake. ---- *Ambio 30*, 552-558.

GOEDKOOP, W., L. SONESTEN, G. AHLGREN & M.BOBERG 2000. Fatty acids in profundal benthic invertebrates and their major food resources in Lake Erken, Sweden: seasonal variation and trophic indications. ---- *Canadian Journal of Fisheries and Aquatic Sciences* 57, 2267-2279.

GONZALEZ, E.R. & L. WATLING 2001. Three new species of *Hyalella* from Chile. ---- *Hydrobiologia 464*, 175-199. (The three new species are *H. chiloensis* n.sp (Chiloe island), *H. costera* n.sp. (Antofagasta, lowland S. Chile) and *H. kochi* n.sp. (Bofedal de Arabillo, highland N.Chile). Also *H. lassamancinii* is reported from Chile.)

GONZALEZ, E.R.. & L. WATLING 2002. Redescription of *Hyalella azteca* from its type locality, Vera Cruz, Mexico (Amphipoda: Hyalellidae). ---- *Journal of Crustacean Biology 22*, 173-183.

GOVORUKHINA, E.B. 2001. (Structure of populations of some mass species of Baikalian amphipods in the night migratory complex.) ---- Pp 109-115 in V.V.Takhteev (ed.). (Researches on the water fauna of East Siberia basins.) Irkutsk State University, Irkutsk. 166 pp.(In Russian.)

GRADINGER, R.R. 2001. Adaptation of Arctic and Antarctic ice Metazoa to their habitat. ---- *Zoology, Jena 104*, 339-345. (Not seen)

GRAEVE, M., P. DAUBY & Y. SCAILTEUR 2001. Combined lipid, fatty acid and digestive tract content analysis: A penetrating approach to estimate feeding modes of Antarctic amphipods. ---- *Polar Biology 24*, 853-862.

GRANT, A. & A.D.BRIGGS 2002. Toxicity of sediments from around a North Sea oil platform: Are metals or hydrocarbons responsible for ecological

impacts? ---- *Marine Environmental Research 53*, 95-116. (Mainly the hydrocarbons! *Corophium volutator* used as test animal.)

GREENWOOD, K.S., J.H.THORP, R.B.SUMMERS & D.L.GUELDA 2001. Effects of an exotic bivalve mollusc on benthic invertebrates and food quality in the Ohio river. ---- *Hydrobiologia 462*, 169-172. (*Dreissena* increase led to increased biomass of *Gammarus fasciatus*.)

GRIGOROVICH, I.A., H. MacISAAC, N.V.SHADRIN & E.L.MILLS 2002. Patterns and mechanisms of aquatic invertebrate introductions in the Ponto-Caspian region. ---- *Canadian Journal of Fisheries and Aquatic Sciences 59*, 1189-1208.

GUERRA-GARCIA, J.M. 2001. The Caprellidea (Crustacea: Amphipoda) collected by the expedition "Grigore Antipa" National Museum of Natural History from Tanzania, with the description of a new genus and two new species. ---- Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa" 43, 23-45. (Deals with Pseudocaprella pambanensis, Fallotritella biscayensis, Hemiaeginina minuta, Paracaprella tenuis, Paradeutella tanzaniensis n.sp. (Mbudy island, Tanzania), Protellla similis, Tanzacaprella bacescui n.gen., n.sp. ('St. 91', Tanzania), and Triprotella amica. A key to all species is provided.)

GUERRA-GARCIA, J.M. 2002. Redescription of five rare caprellids (Crustacea: Amphipoda: Caprellidea) collected from Tanzanian coasts. ---- Helgoland Marine Research 55, 221-231. (Deals with Pseudocaprellina pambanensis, Fallotritella biscaynensis, Paracaprella tenuis, Protella similis and Triprotella amica.)

GUERRA-GARCIA, J.M. 2002. Revision of the genus *Deutella* (Crustacea: Amphipoda: Caprellidea) with description of a new species, redescription of *Deutella venenosa* Mayer, 1890, and a key to the species of *Deutella*. ----*Journal of Natural History* ??, ???-??? (Deals with *D aspiducha*, *D. californica*, *D. incerta*, *D margaritae* n.sp. (Isla Margarita, Venezuela), *D. mayeri*, *D. schieckei*, *D. vemae* (transferred from *Luconacia*, here considered a junior synonym of *Deutella*), and *D. venenosa*. A key is provided.)

GUERRA-GARCIA, J.M. & C.O.COLEMAN 2002. Antarctic caprellids (Crustacea: Amphipoda) collected during the "Polarstern" cruise 42 ANT XIV/2. ---- Organismic Diversity & Evolution 1, Electronic Supplement 7, 1-17. (Complete redescriptions of Aeginoides gaussi, Caprellinoides mayeri, C. tristanensis, Paraproto condylata and Pseudododecas bowmani.)

GUERRA-GARCIA, J.M., J. CORZO & J.C.GARCIA-GOMEZ 2002. Clinging behaviour of the Caprellidea (Amphipoda) from the Straits of Gibraltar. ---- *Crustaceana* 75, 41-50.

GUERRA-GARCIA, J.M. & J.C. GARCIA-GOMEZ 2001. The spatial distribution of Caprellidea (Crustacea: Amphipoda): A stress bioindicator in Ceuta (North Africa, Gibraltar area). ----*PSZN Marine Ecology* 22, 357-367.

GUERRA-GARCIA, J.M., I. GARCIA- ASENCIO & J.E. SANCHEZ-MOYANO 2001. *Parvipalpus onubensis*, a new species (Crustacea: Amphipoda: Caprellidea) from the Atlantic coast of Southern Spain. ----*Scientia Marina 65*, 333-339. (From Huelva, Andalucia)

GUERRA-GARCIA, J.M., J.E.SANCHEZ-MOYANO & J.C.GARCIA-GOMEZ 2001. Two new species of *Caprella* (Crustacea: Amphipoda: Caprellidea) collected from sandy bottoms in the Strait of Gibraltar. ----*Hydrobiologia 448*, 181-192. (*C. pseudorapax* n.sp and *C. sabulensis* n.sp.)

GUERRA-GARCIA, J.M., J.E.SANCHEZ-MOYANO & J.C.GARCIA-GOMEZ 2002. *Caprella caulerpensis* (Crustacea: Amphipoda), a new species associated with *Caulerpa prolifera* from the Strait of Gibraltar. ---- *Journal of the Marine Biological Association UK 82*, 843-846.

GUERRA-GARCIA, J.M. & I. TAKEUCHI 2001. The Caprellidea (Crustacea: Amphipoda) from Ceuta, North Africa, with the description of three species of *Caprella*, a key to the species of *Caprella*, and biogeographical discussion. ----*Journal of Natural History 36*, 675-714. (With descriptions of *C. ceutae n.sp.*, *C. danilevskii*, *C. erethizon*, *C. liparotensis*, *C. santosrosai*, *C. penantis*, and *C. tuberculata*, and a key to all 13 *Caprella* of the area.)

GUERRA-GARCIA, J.M. & M. THIEL 2001. (The caprellid fauna (Crustacea: Amphipoda: Caprellidea) from the coast of Coquimbo, northern-central Chile, with a taxonomic key to species identification.) ---- Revista Chilena de Historia Natural 74, 873-888. (In Spanish. Descriptions of, and key to, 6 caprellid species, of which Paracaprella pusilla is new to Pacific S.America, and Deutella venenosa is reported only for the second time.)

HAYWARD, B.W., A.B.STEPHENSON, M.S.MORLEY, W.M.BLOM, H.R.GRENFELL, F.J.BROOK, J.L.RILEY, F. THOMPSON &

- J.J.HAYWARD 2001. Marine biota of Parengarenga Harbour, Northland, New Zealand. ---- *Records of the Auckland Museum 37*, 45-80. (Amph. on p. 78)
- HECHT, S. & B.L.BOESE 2002. Sensitivity of an infaunal amphipod, *Eohaustorius estuarius*, to acute waterborne exposures of 4-nonylphenol: Evidence of a toxic hangover. ---- *Environmental Toxicology and Chemistry 21*, 816-819.
- HENRY, K.S., W.H.WIELAND, D.E.POWELL & J.P.GIESY 2001. Laboratory analyses of the potential toxicity of sediment-associated polydimethylsiloxane to benthic macroinvertebrates. ---- Environmental Toxicology & Chemistry 20, 2611-2616. (i.a. Hyalella azteca)
- HO, K.T., R.M.BURGESS, M.C.PELLETIER, J.R.SERBST, S.A.RYBA, H.G.CANTWELL, A. KUHN & P. RACZELOWSKI 2002. An overview of toxicant identification in sediments and dredged materials. ---- *Marine Pollution Bulletin 44*, 286-293.
- HOLMES, J.M., N.M.WHITELY, J.L.MAGMAY & A.J.EL HAJ 2002. Comparison of the variable long regions of myosin heavy chain genes from Antarctic and temperate isopods. ---- *Comparative Biochemistry & Physiology 131B*, 349-359. (In spite of its title, this paper also contains data on the amphipod *Eulimnogammarus verrucosus*.)
- HOLSINGER, J.R. 2000. *Ecological derivation, colonization, and speciation.* --- Pp 399-415 in H. Wilkens, D.C. Culver & W.F. Humphreys (eds). Ecosystems of the world.30. Subterranean Ecosystems. Elsevier. HOLSINGER, J.R. & S. RUFFO 2002. *Indoweckelia superstes* n.gen. n. sp. from the subterranean waters of Socotra Island: the first weckeliid amphipod crustacean (Hadziidae) found in the Indo-West Pacific region. ---- *Bolletino del Museo Civico di Storie Naturale de Verona 26*, 27-36. (From a well on Socotra Island.)
- HOP, H., T. PEARSON, E. NØST HEGSETH, K.M.KOVACS, C. WIENCKE, S. KWASNIEWSKI, K. EIANE, F. MEHLUM, B. GULLIKSEN, M. WLODARSKA-KOWALCZUK, C. LYDERSEN, J.M.WESLAWSKI, S. COCHRANE, G. W. GABRIELSEN, R.J.S.LEAKEY, O.J.LØNNE, M. ZAJACZKOWSKI, S. FALK PETERSEN, M. KENDALL, S.A.WÄNGBERG, K. BISCHOF, A.Y.VORONKOV, N.A.KOVALTCHOUK, J. WIKTOR, M. POLTERMANN, G. di PRISCO, C. PAPUCCI & S. GERLAND 2002. The marine ecosystem of Kongsfjorden, Svalbard. ---- *Polar Research 21*, 167-208.

- HOSONO, T. & H. MUNEHARA 2001. (Caprellids (Crustacea, Amphipoda, Caprellidea) from Usujiri, Pacific coast of southern Hokkaido.) ---- Bulletin of Fisheries Sciences, Hokkaido University 52, 11-37. (In Japanese, not seen. Nine Caprella spp are described, and keys provided. C.carinata and C. cristibrachium are new for Hokkaido.)
- HOU, Zh-e & S-q LI 2002. A new cave amphipod of the genus *Sinogammarus* from China. ---- *Crustaceana 75*, 815-825. (*S. chuanhui* n.sp. from a cave in Chonqing city, Sichuan, China.)
- IKEN, K., C.D.AMSLER, J.M.HUBBARD, J.B. McCLINTOCK & B.J.BAKER 2001. Preliminary results on secondary metabolites from Antarctic brown algae and their ecological relevance. ---- *Journal of Phycology 37*, 26-?.
- JANSEN, T. 2002. A taxonomic revision of *Westwoodilla* Bate, 1862 (Crustacea: Amphipoda), including descriptions of two new species. ---
 Steenstrupia 27, 83-136. (This beautiful monograph deals with *W. caecula, (W. abyssalis), (W. asinuata), W. brevicalcar* (revived), *W. helle* n.sp. (N.Iceland),

 W. longimana, W. manta, W. megalops (revived), (W. oxyrhyncha), (W. rectangulata), W. rectirostris, and W. tone n.sp. (Victoria, B.Col., Canada).No material was available for the taxa in parentheses.)
- JARAMILLO, E., H. CONTRERAS, C. DUARTE & P. QUIJON 2001. Relationships between community structure of the intertidal macrofauna and sandy beach characteristics along the Chilean coast. ---- *PSZN Marine Ecology* 22, 323-342.
- JARAMILLO, E., C. DUARTE & H. CONTRERAS 2000. Sandy beach macroinfauna from the coast of Ancud, Isla de Chiloe, southern Chile. ---- *Revista Chilena de Historia Natural* 73, 771-786. (Not seen)
- JAUME, D. & K. CHRISTENSEN 2001. Amphi-Atlantic distribution of the subterranean amphipod family Metacrangonyctidae (Crustacea, Gammaridea). --- *Contributions to Zoology 70*, 99-125. (Two new *Metacrangonyx* spp are described from Hispaniola, *M. dominicanus* n.sp from the southern Dominican Republic and *M. samanensis* n.sp. from the northern part of this country. These are the first W-Atlantic/Caribbean members of the family.)

JAZDZEWSKI, K., C. DE BROYER, M. PUDLARZ & D. ZIELINSKI 2001. Seasonal fluctuations of vagile benthos in the uppermost sublittoral of a maritime Antarctic fjord. ---- *Polar Biology 24*, 910-917.

JUST, J. 2002. Review of *Pseudopleonexes* Conlan, 1982, with a new species from Australia (Crustacea: Amphipoda: Ampithoidae).---- *Records of the Australian Museum 54*, 31-40. (*P. sheardi* n.sp from S.Australia)

KAMALTYNOV, R. 2001. (Amphipods (Amphipoda: Gammaroidea).) ---- Pp 572-831 in (Index of animal species inhabiting Lake Baikal and its catchment area. Vol. I Lake Baikal. Book 1.) Nauka, Novosibirsk. (In Russian. At last an up-to date catalogue of all amphipods in the so wonderfully diverse lake Baikal in Siberia! The catalogue is in Russian, but short descriptions of all new taxa are provided in English on pp 765-818. I have here given a first surveyof the se new taxa. In addition a number of former ssp have been raised to specific rank. If the author gives his permission, I shall try to give a further survey of his classification on the amphipod website, that way making it more widely accessible.

The following new taxa are described: In the Acanthogammaridae: Acanthogammarus (Ancyracanthus n. subgenus) (type Gammarus godlewskii var. victorii; +3(i.e. with three other spp)); Diplacanthus n.gen. (type Acanthogammarus godlewskii var. brevispinus; monotypic), Cornugammarus n.gen. (type Polyacanthus maximus; monotypic), Oxyacanthus n.gen. (type Polyacanthus flavus; +5), Carinurus karamani n.sp., Dorogostaiskia n. gen. (type Spinacanthus insularis; +2), Dedyuola n. gen. (type Gammarus armatus; +2), and Hyalellopsis linevitschae n.sp.. In the subfamily Carinogammarinae new taxa are Aspretus n.gen. (type Asprogammarus puer; +1), and Eremogammarus n.gen. (type Gammarus puella; monotypic). No new taxa in the Parapallaseinae. In the Plesiogammarinae new taxa are Plesiogammarus (Caecogammarus n. subgen.) (type Plesiogammarus gerstaeckeri brevis; +3), Sentogammarus n. gen. (type Gammarus zienkowiczii; monotypic), and Supernogammarus n.gen. (type Plesiogammarus longicornis; monotypic). In the Poekilogammarinae the taxon Inobsequentus Takhteev is raised to generic rank, anda new taxon is Nyctoporea n.gen. (type Poekilogammarus sukaczewi; monotypic). In the Abyssogammarinae new taxa are Laxmannia n.gen. (type Abyssogammarus swartschewskii; monotypic), Sluginella n.gen. (type Eulimnogammarus pachycerus; +2), Sluginella (Lamogammarus n. subgen.) (type Eulimnogammarus macrophthalmus; +3), and Barguzinia n.gen. (type Abyssogammarus calceolatus; monotypic). In the Eulimnogammarinae there are no new taxa. In the Odontogammarinae new taxa are Berchinia n.gen.(type Poekilogammarus curvimanus; monotypic), Ommatogammarus (Pretiositus n.

subgen.) (type Ommatogammarus carneolus melanophthalmus; +2), Profundalia n. gen. (type Eulimnogammarus tenuis; monotypic), and Tengisia n.gen. (type Gammarus capellus; +3). The family Baikalogammaridae is new (type genus Baikalogammarus; monotypic). The Macrohectopidae are unchanged. In the Micruropodidae, there are new subfamilies, i.e. the Crypturopodinae (Crypturopus +1) n. subfam., the Gmelinoidinae (Gmelinoides; monotypic), and the Micruropodinae (Micruropus +1), with the new genus Linevichella (type Gammarus vortex; +1), and the new spp Micruropus stelleri n.sp and M. tomilovi n.sp.. The Pachyschesidae remain unchanged, having been recently monographed. In the Pallaseidae the new taxa are Pallaseopsis Kamaltynov & Väinölä in Kamaltynov, n.gen.(type Gammarus grubii; +2), and Babr Kamaltynov & Väinölä in Kamaltynov, n.gen. (type Gammarus lovenii Dybowsky,(a junior homonym of G. lovenii Bruzelius)= Pallasea baikali; +2). Finally new families are erected for the Pontocaspian Behningiellidae (Behningiella, Zernovia and ?Cardiophilus), and the monotypic Iphigenellidae (Iphigenella).)

KATAGAN, T., A. KACATAS & M. SEZGIN 2001. Amphipod biodiversity of shallow water *Posidonia oceanica* (L.) Delile, 1813 meadows on the Aegean coast of Turkey. ---- *Acta Adriatica* 42 (2), 25-34. (Not seen)

KELAHER, B.P. & J.K.LOWRY 2002. A new species of *Elasmopus* and its variation in density with respect to physical architecture of coralline algal turf. --- *Journal of Crustacean Biology 22*, 861-873. (*E. warra n.sp.* from NSW shores)

KOBAYASHI, T., S. WADA & H. MUKAI 2002. Extended maternal care observed in *Parallorchestes ochotensis* (Amphipoda, Gammaridea, Talitroidea, Hyalidae). ---- *Journal of Crustacean Biology 22*, 135-142.

KOLBE, K. & H. MICHAELIS 2001. Long-term changes of intertidal benthic assemblages in the mesohalinicum of the Weser estuary. ---- *Senckenbergiana Maritima 31*, 197-204.

KONOPACKA, A. & K. JAZDZEWSKI, K. 2002. *Obesogammarus crassus* (G.O.Sars, 1894)—one more Ponto-Caspian gammarid species in Polish waters. *---- Fragmenta Faunistica* 45, 19-26.

KONOPACKA, A., K. JAZDZEWSKI & W. JEDRYCZOWSKI 2001. (*Malacostracans (Malacostraca) from the Bieszczady Mountains*). ---- Pp 35-47 in J.Pawlowski (ed.). Monografie Bieszczadzkie 7 (2000). (In Polish, 27 amphipod spp).

KRAPP-SCHICKEL, T. & J. KULLA 2002. Where is the true *Apherusa bispinosa* (Bate, 1857) in the 'haystack' of citations? ---- *Bolletino del Museo Civico de Storie Naturale di Verona 26*, 81-103. (Deals with *A. bispinosa*, *A. ?bispinosa*, *A. macrocephala* (M.Sars, 1858) (revived), and *A henneguyi*.)

KRAPP-SCHICKEL, T. & W. VADER 2002. Redescription and generic position of *Cheirocratella thori* Stephensen, 1940 (Amphipoda, Gammaroidea). ---- *Sarsia* 87, 9-18.

KUHN, A., W.R.MUNNS, J. SERBST, Ph. EDWARDS, M.G.CANTWELL, T. GLEASON, M. PELLETIER & W. BERRY 2001. Evaluating the ecological significance of laboratory response data to predict population-level effects for the estuarine amphipod *Ampelisca abdita*. ---- Environmnetal Toxicology and Chemistry 21, 865-874.

LAFFERTY, K.D., F. THOMAS & R. POULIN 2000. *Evolution of host phenotype by parasites and its consequences*. ---- Pp117-127 in R.Poulin, S. Morand & A. Skorping (eds). Evolutionary biology of host-parasite relationships: theory meets reality. Elsevier, Amsterdam.

LeCROY, S.E. 2002. An illustrated identification guide to the nearshore marine and estuarine gammaridean Amphipoda of Florida. Vol. 2. Families Ampeliscidae, Amphilochidae, Ampithoidae, Aoridae, Argissidae and Haustoriidae. ---- Florida Dept of Environmental Protection, Tallahassee, pp 197-410. (Volume 2 in this very well executed and extremely useful series of papers, that will allow any ecologist inside and any visitor to Florida to identify the local amphipods with the minimum of problems. It is much to be hoped that funds can be found enabling the author to continue this major service to colleagues.)

LEGEZYNSKA, J. 2001. Distribution patterns and feeding strategies of lysianassid amphipods in shallow waters of an Arctic fjord. ---- *Polish Polar Research* 22, 173-186.

LEPPÄKOSKI, E., S. GOLLASCH, P. GRZUSZKA, H. OJAVEER, S. OLONIN & V. PANOV 2002. The Baltic—a sea of invaders. ---- Canadian Journal of Fisheries and Aquatic Sciences 59, 1175-1188.

LOTUFO, G.R. & P.F. LANDRUM 2002. The influence of sediment and feeding on the elimination of polycyclic aromatic hydrocarbons in the freshwater amphipod, *Diporeia sp. . ---- Aquatic Toxicology 58*, 137-149.

LOWRY, J.K.& H.E.STODDART 2002. The Amaryllidae of Australia (Crustacea: Amphipoda: Lysianassoidea). ---- Records of the Australian Museum 54, 129-214. (A monographic treatment, with keys to and complete descriptions of the Amaryllidinae n. subfam., with Amaryllis brevicornis, A. carrascoi n.sp. (Flinders isl., S.Austr.), A. croca n.sp. (ibidem), A. dianae n.sp. (W.Austr.), A. kamata n.sp. (NSW), A. keablei n.sp.(Bass Str., Tasm.), A. macrophthalma, A. migo n.sp. (W.Austr.), A. moona n.sp. (Jervis Bay, NSW), A. olinda n.sp.(P.Arthur, Tasm.), A. philatelica n.sp (NSW; NB shown on a 1984 postage stamp!), A. quokka n.sp. (Rottnest Isl., W.Austr.), and A. spencerensis n.sp. (?????). The genus Bamarooka n.gen. has Amaryllis bathycephala as type, and further spp are B. anomala n.sp. (W.Austr.), B. dinjerra n.sp. (W.Austr.), B. endata n.sp. (Bass Str.), B. kimbla n.sp. (Capricorn isl., Qld), and B. tropicalis n.sp. (W.Austr.). The monotypic S.American Erikus dahli also belongs here, as does Wonga n.gen, also monotypic, and erected for W. wonga n.sp.(Bass Str.). The new subfamily Vijayiinae n. subfam. (Why not Vijayinae?) contains Bathyamaryllis, with 5 spp, of which B. kapala n.sp. (NSW) is new, Devo n. gen. (type D. grahami), with D. dubuc n.sp. (Tasm.), D. grahami n.sp. (NSW), and D. conocephala (transf. from Amaryllis). Pseudamaryllis has two spp, and Vijaya is monotypic for V. tenuipes. The taxon Paravijaya epiculata Ren is a junior synonym of Pseudamaryllis andresi.).

LOWRY, J.K. & H.E.STODDART 2002. The lysianassoid amphipod genera *Lepidepecreoides* and *Lepidepecreum* in southern waters (Crustacea; Lysianassidae: Tryphosinae). ---- *Records of the Australian Museum 54*, 335-364. (Deals with *Lepidepecreoides bassi* n.sp. (Victoria), *L. chincui* n.sp. (Cincui Bay, S.Chile), *L. nubifer*, *L. talboti* n.sp. (=*L. nubifer* s. Griffiths 1977) (W. of Cape Point, S.Africa), *L. torresi* n.sp. (E of Cape York, Qld), *L. xenopus*, *Lepidepecreum baudini* n.sp. (Victoria), *L. dampieri* n.sp. (W.Austr.), *L. flindersi* n.sp. (Flinders Island, Bass Strait), *L. foraminiferum*, *L. freycineti* n.sp. (Tasmania), *L. infissum* (new to Antarctic), *L. tourville* n.sp. (Tasmania) and *L. urometacarinatum*.)

MacISAAC, H., I.A. GRIGOROVICH & A. RICCIARDI 2002. Re-assessment of species invasions concepts: The Great Lakes as a model. ---- *Biological Invasions 3* (2001), 405-416.

MACNEIL, C., R.W.ELWOOD & J.F.A.DICK 2001. Persistence times of four amphipod species in the stomachs of brown trout. ---- *Journal of Fish Biology 59*, 1401-1404.

MALTBY, L., S.A.CLAYTON, R.M.WOOD & N.McLOUGHLIN 2002. Evaluation of the *Gammarus pulex in situ* feeding assay as a biomonitor of water quality: Robustness. ---- *Environmental Toxicology & Chemistry 21*, 361-368.

MARSDEN, I.D. 2002. Life-history traits of a tube-dwelling corophioid amphipod, *Paracorophium excavatum*, exposed to sediment copper. ---- *Journal of Experimental Marine Biology & Ecology 270*, 57-72.

MARSDEN, I.D. & C.H.T.WONG 2001. Effects of sediment copper on a tube-dwelling estuarine amphipod, *Paracorophium excavatum. ---- Marine and Freshwater Research* 52, 1007-1014.

MAYER, C.M., L.G.RUDSTAM, E.L.MILLS, S.G.CARDIFF & C.A.BLOOM 2001. Zebra mussels (*Dreissena polymorpha*), habitat alteration, and Yellow Perch (*Perca flavescens*) foraging: System-wide effects and behavioural mechanisms. ---- *Canadian Journal of Fisheries and Aquatic Sciences 58*, 2459-2467. (*Gammarus fasciatus*)

MEEKAN, M.G., S.G.WILSON, A. HALFORD & A. RETZEL 2001. A comparison of catches of fishes and invertebrates by two light trap designs, in tropical NW Australia. ---- *Marine Biology, Berlin 139*, 373-381.

MEKHANIKOVA, I.V. 2001. (Composition and seasonal dynamics of the food of Brandtia parasitica (Dyb.) (Crustacea, Amphipoda) from lake Baikal.) ---Pp 62-70 in V.V.Takhteev (ed.). (Researches of the water fauna of east Siberia basins). Irkutsk State University, Irkutsk. 166 pp. (In Russian. This species is not a parasite, but an omnivore.)

MEKHANIKOVA, I.V., G. CHAPELLE & C. DE BROYER 2001. *Echiuropus bekmanae* n.sp. (Crustacea, Amphipoda, Carinogammaridae) from Lake Baikal, retrieved by a new deep-water sampling device. ---- *Hydrobiologia 462*, 241-251. (This deep-water species belongs to the subgenus *Asprogammarus*.)

MEKHANIKOVA, I.V. & V.V.TAKHTEEV 2001. (Individual variability of mocrocuticular structures in some species of Lake Baikal amphipods.) ---- Pp 71-87 in V.V.Takhteev (ed.). (Researches of the water fauna of east Siberia

basins.) Irkutsk State University, Irkutsk. 166 pp (In Russian. Many SEM-micrographs of a large number of species.)

MEKHANIKOVA, I.V. & V.V.TAKHTEEV 2001. (Daily vertical migration of Lake Baikal amphipods: probable causes and ecological importance.) ---- Pp 88-108 in V.V.Takhteev (ed.). (Researches of the water fauna of east Siberia basins.) Irkutsk State University, Irkutsk. 166 pp. (In Russian)

MEYER-ROCHOW, V.B. & H.L.NILSSON 1999. *Compound eyes in polar regions, caves, and the deep-sea.* ---- Pp 125-142 in E.Eguchi & Y. Tominaga (eds). Atlas of arthropod sensory receptors. Dynamic morphology in relation to function. Springer Verlag, Tokyo.

MIRONOV, A.N., A.V.GEBRUK & L.I.MOSKALEV 2002. (Biogeography of hydrothermal vent communities and obligate hydrothermal taxa.) ---- Pp 410-455 in A.V.Gebruk (ed.). (Biology of hydrothermal systems) KMK Press, Moskva. (In Russian, with lists of obligate hydrothermal taxa.)

MOORE, P.G. & P.S.RAINBOW 1997. Ferritin crystals in the gut caeca of a deep-sea hydrothermal vent stegocephalid (Crustacea: Amphipoda). ----*Journal of the Marine Biological Association UK 77*, 269-272.

MOORE, P.G., P.S.RAINBOW, J.M.WEEKS & B.D.SMITH 1995.

Observations on copper and zinc in an ecological series of talitroidean amphipods (Crustacea: Amphipoda) from the Azores. ---- *Açoreana*, Suppl. 1995, 93-102.

MORRIS, L. & M.J.KEOUGH 2001. Vertical migration of infaunal invertebrates in response to dosing with secondary treated sewage effluent: A microcosm experiment. ---- *Journal of Aquatic Ecosystem Stress and Recovery* 9, 43-65. (*Corophium insidiosum*)

MOUNEYRAC, C., J.C.AMIARD, C. AMIARD-TRINQUET, A. COTTIER, P.S.RAINBOW & B.D.SMITH 2002. Partitioning of accumulated trace metals in the talitrid amphipod crustacean *Orchestia gammarellus*: A cautionary tale on the use of metallothionein-like proteins as biomarkers. ---- *Aquatic Toxicology* 57, 225-242.

MÜLLER, J. 2001. Invasion history and genetic population structure of riverine macroinvertebrates. ---- *Zoology, Jena 104*, 346-355. (Not seen).

- MUNNS, W.R., W.J.BERG & T.H.DEWITT 2002. Toxicity testing, risk assessment, and options for dredged material management. ---- *Marine Pollution Bulletin 44*, 294-302.
- NAKAOKA, M., T. TOYOHARA & M.MATSUMASA 2001. Seasonal and between-substrate variation in mobile epifaunal community in a multispecific seagrass bed of Otsuchi Bay, Japan. ---- *PSZN Marine Ecology* 22, 379-395.
- NALEPA, T.F., D.L.FANSLOW & M.MESSICK 2001. A further examination of the decline in the benthic amphipod *Diporeia* in southern Lake Michigan. --- *44th Conference on Great-Lakes Research, June 2001, Abstr.*, 100.
- NASSIRI, Y., P.S.RAINBOW, C.AMIARD-TRINQUET, F. RAINGLET & B.D.SMITH 2000. Trace metal detoxification in the ventral caeca of *Orchestia gammarellus* (Crustacea: Amphipoda). ---- *Marine Biology (Berlin)* 136, 477-484.
- NEUPARTH, T., F.O.COSTA & M.H.COSTA 2002. Effects of temperature and salinity on life history of the marine amphipod *Gammarus locusta*. Implications for ecotoxicological testing. ---- *Ecotoxicology 11*, 61-73.
- NIJSSEN, F., Th. BREY, G. LEPOINT, J.-M. BOUQUEGNEAU, C. DE BROYER & P. DAUBY 2002. A stable isotope approach to the eastern Weddell Sea trophic web: Focus on benthic amphipods. ---- *Polar Biology 25*, 280-287.
- OHJI, M., I. TAKEUCHI, S. TAKAHASHI, S. TANAB & N. MIYAZAKI 2002. Differences in the acute toxicities of tributyltin between the Caprellidea and the Gammaridea (Crustacea. Amphipoda). ---- *Marine Pollution Bulletin* 44, 16-24. (Caprellids are more sensitive)
- OLAFSSON, E. & H. LIMÉN 2002. Recovery of soft-bottoms after anoxic events: Laboratory experiments with the amphipod *Monoporeia affinis* from the Baltic Sea. ---- *Ophelia 56*, 121-134.
- OLENIN, S. 2000. Occurrence of Malacostraca glacial relicts in the eastern Gotland basin of the Baltic Sea over the period 1981-1991. ---- Pp 31-38 in E. Stycynska-Jurewiecz (ed.). Crustacea—relict and rare species. Crangon 4, Gdynia.

- ORTIZ, M. & A. JIMENO 2001. (Pictorial guide for the identification of the families and genera of Gammaridea amphipods of the Iberian peninsula.) ---- *Graelssia 57*, 3-93. (In Spanish. An original pictorial guide, with schematic figures. No doubt very useful indeed, although I have not myself tried it out yet.)
- ORTIZ, M., A. MARTIN & D. ATIENZA 2000. (A new species of amphipod of the genus *Tiburonella* (Crustacea Amphipoda Platyischnopidae) from Venezuela.) ---- *Acta Biologica Venezolana 20* (2), 29-36. (In Spanish. *T. morrocoyensis* n.sp. from *Thalassia* beds in Morrocoy bay, Venezuela.)
- OUTREMAN, Y., L. BELLACHE, S. PLAITOW & F. CÉZILLY 2002. Patterns of intermediate host use and levels of association between two conflicting manipulative parasites. ---- *International Journal of Parasitology* 32, 15-20. (Host is *Gammarus pulex*)
- PEDERSON, E.J. & M.S.PETERSON 2002. Bryozoans as ephemeral estuarine habitat and a larval transport mechanism for mobile benthos and young fishes, in the north-central Gulf of Mexico. ---- *Marine Biology, Berlin 140*, 935-947. (*Paracaprella tenuis* common.)
- PERRONE, F.M., A DELL'ANNO, R. DANOVARO, N. DELLA CROCE & M.H.THURSTON 2002. Population biology of *Hirondellea* sp. nov. (Amphipoda: Gammaridea: Lysianassoidea) from the Atacama trench (southeast Pacific Ocean). ---- *Journal of the Marine Biological Association UK 82*, 419-425.
- POTHOVEN, S.A., D.W.HONDORP, T.F.NALEPA & S.B.BRANDT 2001. Effect of *Diporeia* declines on Lake Michigan forage fishes. ---- 44th Conference on Great-Lakes Research, June 2001, Abstracts, 109.
- POULIN, R. 2001. Progenesis and reduced virulence as an alternative strategy in a parasitic trematode. ---- *Parasitology 123*, 623-630.
- POULIN, R. & A.D.M.LATHAM 2002. Inequalities in size and intensity-dependent growth in a mermithid nematode parasite in beach hoppers. ---- *Journal of Helminthology 76*, 65-70. (Host is *Talorchestia quoyana*.)
- POULIN, R. & A.D.M. LATHAM 2002. Parasitism and the burrowing depth of the beach hopper *Talorchestia quoyana* (Amphipoda: Talitridae). ---- *Animal*

Behaviour 63, 269-275. ('Talorchestia infected with mermithid nematodes burrow deeper.')

PREZANT, R.S., R.B.TOLL, H.B.ROLLINS & E.J.CHAPMAN 2002. Marine macroinvertebrates diversity of St. Catherine's island, Georgia. ---- *American Museum Novitates 3367*, 1-31. (Amph. pp 15-16)

PRONIN, N.M. 2001. (*The new category and new taxonomical group (Amphipoda) of hosts in nematode* Philonema sibirica *and specificities of its hostal-spatial distribution in L. Baikal.* ---- Pp 55-61 in V.V.Takhteev (ed.). (Researches of the water fauna of East Siberia basins.) Irkutsk State University, Irkutsk. 166 pp. (In Russian. Found in body-cavity of *Acanthogammarus victorii maculosus*, the first ever amphipod host.)

RAINBOW, P.S. 1998. *Phylogeny of trace metal accumulation in crustaceans*. Pp 285-319 in W.J.Langston & M.Bebianno (eds). Metal metabolism in aquatic environments. Chapman & Hall, London.

RAINBOW, P.S. 2002. Trace metal concentrations in aquatic invertebrates: why and so what? ---- *Environmental Pollution 120*, 497-507.

RAINBOW, P.S., C. AMIARD-TRINQUET, J.C.AMIARD, B.D.SMITH, S.L.BEST, Y. NASSIRI &W.J.LANGSTON 1999. Trace metal uptake rates in crustaceans (amphipods and crabs) from coastal sites in NW Europe differentially enriched with trace metals. ---- *Marine Ecology Progress Series* 183, 189-203.

RAINBOW, P.S., C. AMIARD-TRINQUET, J.C.AMIARD, B.D.SMITH & W.J.LANGSTON 2000. Observations on the interactions of zinc and cadmium uptake rates in crustaceans (amphipods and crabs) differentially enriched with trace metals. ---- *Aquatic Toxicology* 50, 189-204.

RAINBOW, P.S., W. FIALKOWSKI & B.D.SMITH 1998. The sandhopper *Talitrus saltator* as a trace metal biomonitor in the Gulf of Gdansk, Poland. ---- *Marine Pollution Bulletin 86*, 193-200.

RAINBOW, P.S. & M.K.H.KWAN 1995. Physiological responses and the uptake of cadmium and zinc by the amphipod crustacean *Orchestia* gammarellus. ---- Marine Ecology Progress Series 127, 87-102.

- RAINBOW, P.S., B.D.SMITH & S.S.S.LAU, 2002. Biomonitoring of trace metal availabilities in the Thames estuary using a suite of littoral biomonitors. ---- *Journal of the Marine Biological Association UK 82*, 793-799. (i.a. *Orchestia gammarellus*)
- REID, D.F. & M.I.ORLOVA 2002. Geological and evolutionary underpinnings for the success of Ponto-Caspian species invasions in the Baltic Sea and North American Great Lakes. ---- *Canadian Journal of Fisheries and Aquatic Sciences* 59, 1144-1158.
- ROBISON, H. & J.R.HOLSINGER 2000. First record of the subterranean amphipod crustacean *Allocrangonyx hubrichti* (Allocrangonyctidae) in Arkansas. ---- *Journal of the Arkansas Academy of Sciences 54*, 153.
- ROKICKI, J. 2000. *Relict Crustacea of northern Poland as intermediate hosts of parasites.* ---- Pp 39-41 in E. Styczynska-Juriewicz (ed.). Crustacea—relict and rare species. Crangon 4, Gdynia.
- SAIER, B. 2002. Subtidal and intertidal mussel beds (*Mytilus edulis* L.) in the Wadden Sea: diversity differences of associated epifauna. ---- *Helgoland Marine Research 56*, 44-50. (*Gammarus locusta*)
 SCAPINI, F. (ED.) 2002. *Baseline research for the integrated sutainable management of medtiterranean sensitive coastal ecosystems*. ---- Istituto Agronomico per l'Oltremare, Firenze, 223 pp. (This beautifully produced booklet shows, that it is possible after all to obtain EU-support also for projects in which amphipods play an important role.)
- SCAPINI, F., A. AIOLA, M.F.BOUSLAMA, L. CHELAZZI, I. COLOMBINI, M. ELGTARI, M. FALLACI & G.M.MARCHETTI 2002. Multiple regression analysis of the sources of variation in orientation of two sympatric sandhoppers, *Talitrus saltator* and *Talorchestia brito*, from an exposed Mediterranean beach. ——— *Behavioural Ecology and Sociobiology 51*, 403-414.
- SCHNITZLER, I., G. POHNERT, M.HAY & W. BOLAND 2001. Chemical defence of brown algae (*Dictyopteris* spp) against the herbivorous amphipod *Ampithoe longimana*. ---- *Oecologia 16*, 515-521.
- SCOTT, C.L., S FALK PETERSEN, B. GULLIKSEN, O.J.LØNNE & J.R.SARGENT 2001. Lipid indicators of the diet of the sympagic amphipod *Gammarus wilkitzkii* in the Marginal Ice Zone and in open waters of Svalbard (Arctic). ----*Polar Biology 24*, 572-576.

SIRENKO, B.(ed.) 2001. (List of species of free-living invertebrates of Eurasian Arctic Seas and adjacent deep waters.) ---- *Issledovaniya Fauny Morey 51* (59), 1-131. (In Russian.. Hyperiidea by M.E. Vinogradov on p. 79, Gammaridea by N.I.Tzvetkova & A.A.Golikov on pp 79-94, and Caprellidea by S.V.Vassilenko on p. 94.)

STOCK, J.H., F.F.J.M.PIETERS & M. SCHEEPMAKER 2002. In memoriam Sjouke Pinkster (10 May 1943-14 October 1996). ---- *Crustaceana* 75, 171-181.

STOYKOV, S. & S. UZUNOVA 1999. Dynamics of macrozoobenthos from the Bourgas Bay (Bulgarian Black Sea coast) during the period 1993-1995. ---- *Proceedings of the Institute of Fisheries, Varna 25*, 153-174. (Amph. on pp 157-158)

STOYKOV, S. & S. UZUNOVA 2001. Dynamics of macrozoobenthos in the southern Bulgarian Black Sea coastal and open-sea areas. ---- *Mediterranean Marine Science* 2, 27-35. (Amph. on pp 30-31)

TAKEUCHI, I., K. WATANABE, A. TONIMURA & M. FUKUCHI 2001. Assemblages of necrophagous animals off Enderby Land, eastern Antarctic. ---- *Polar Biology 24*, 650-656.

TAKHTEEV, V.V. 2000. (Essays on the amphipods of Lake Baikal (systematics, comparative ecology, evolution). ---- Irkutsk: Irkutsk State University Press, 356 pp. (In Russian. A most important monograph, especuially for those able to read Russian. In a revision at family level, the subfamily Garjajewiinae is erected in the Acanthogammaridae, with Garjajewia and 3 other genera. The new family Carinogammaridae contains 4 genera, with Carinogammarus as type genus. The new genus Bazikalovia, in the Pachyschesiidae(correct spelling?) has as type Microgammarus simplex. In the Pallaseidae Pallasea kesslerii and P. g.grubii are redescribed, while P. maligna n.sp. is new. In the Acanthogammaridae the author gives a key to Acanthogammarus spp and descibes A. v. victorii, A. v. maculosus, A. g. godlewskii, A. g. gracilispinus n.subsp., A.l. lappaceus n.sp., A. lappaceus longispinus n. ssp., A. brevispinus, A. subbrevispinus, Propachygammarus maximus, Burchania n.gen. (type Hakonboeckia meissneri) and B. meissneri. The genus *Parapallasea* is also revised, with a key and descriptions of *P.b.* borowskii, P. b. wosnessenskii, P. b. sitnikovae n.ssp, P. lagowskii (with P. meveri as a junior synonym), P. p. puzyllii, and P. p. nigra (including

P.p.carinulata). The genus Ommatogammarus has 4 species (key provided), among which O. carneolus melanophthalmus is redescribed here. The Pachyschesiidae are completely revised, and the brood-parasite genus Pachyschesis now contains the following species: P. bergi, P. indiscretus n.sp., P. branchialis, P. cucuschonok n.sp., P. crassus, P. bumammus n.sp., P. sideljowae n.sp., P. sp., P. pinguiculus n.sp., P. vorax n.sp., P. lamakini n.sp., P. bazikalovae, P. acanthogammarii n.sp., P. karabanowi n.sp., P. inquilinus n.sp., P. punctiommatus n.sp., and P. rarus n.sp.. Many data on the biology and host specificity of this most interesting genus are provided. Other chapters, which I unfortunately can not read, treat the evolution of Baikal amphipods, and the many parallels between Baikal and marine amphipods. Altogether a most important contribution!)

TAKHTEEV, V.V. & E.V.AMBROSOVA 2001. (Finding of underground amphipods (Crustacea Amphipoda Crangonyctidae) in Prybaikalye: preliminary report. ---- Pp 125-127 in V.V.Takhteev (ed.). (Researches of the water fauna of East Siberia basins.) Irkutsk State University, Irkutsk. 166 pp (In Russian. The first *Stygobromus* from the area.)

TAKHTEEV, V.V., A.A. BUKHAROV, V.I. PROVIZ, T. Ya. SITNIKOVA & A.N. GOLIN 2001. (Originality of a benthic fauna under unusual geological conditions of northern underwater slope of Bol'shoy Ushkany island (Lake Baikal). ---- Pp 3-8 in V.V.Takhteev (ed.). (Research es of the water fauna of east Siberia basins.) Irkutsk State university, Irkutsk. 166 pp (in Russian)

TAYLOR, R.E., E. SOTKA & M.E.HAY 2002. Tissue-specific induction of herbivore resistance. ---- *Oecologia 132*, 68-76. (*Ampithoe longimana*)

THIEL, M. & I. KRUSE 2001. Status of the Nemertea as predators in marine ecosystems. ---- *Hydrobiologia 456*, 21-32 (Not seen)

THIEL, M. & N. ULLRICH 2002. Hard rock versus soft bottom: the fauna associated with intertidal mussel beds on hard bottoms along the coast of Chile, and considerations on the functional role of mussel beds. ---- *Helgoland Marine Research* 56, 21-30.

THIEL, M., N. ULLRICH & N. VASQUEZ 2001. Predation rates of nemertean predators: the case of a rocky shore hoplonemertean feeding on amphipods. ---- *Hydrobiologia 456*, 45-57. (*Amphiporus nelsoni* feeding on *Hyale maroubrae*)

- THIEL, M. & J.A. VASQUEZ 2000. Are kelp holdfasts islands on the ocean floor?-Indication for temporarily closed aggregations of peracarid ecosystems. ---- *Hydrobiologia 440*, 45-54. (Not seen)
- THOMAS, F., J. FAUCHLER & K.D.LAFFERTY 2002. Conflict of interest between a nematode and a trematode in an amphipod host: test of the "sabotage" hypothesis. ---- Behavioural Ecology & Sociobiology 51, 296-301. (Microphallus papillorobustus and Gammarinema gammari in Gammarus insensibilis.)
- THOMAS, F., E. GULDNER & F. RENAUD 2000. Differential parasite (Trematoda) encapsulation in *Gammarus aequicauda* (Amphipoda). ---- *Journal of Parasitology* 86, 650-654.
- THURGATE, M.E., J.S.GOUGH, A.K.CLARKE, P. SEROV & A.SPATE 2001. Stygofauna diversity and distribution in Eastern Australian cave and karst areas. ---- *Records of the Western Australian Museum 64*, Suppl., 49-62. (Not seen)
- THURSTON, M.H. 1999. Amphipoda—Taxonomy, Atacama Trench International Expedition (ATIE). Agor 60 "Vidal Gormaz" (1-6-Sept., 1997). --- *Genoa University Press, Data Report*, 35-36. (Not seen)
- THURSTON, M.H., M. PETRILLO & N. DELLA CROCE 2002. Population structure of the necrophagous amphipod *Eurythenes gryllus* (Amphipoda: Gammaridea) from the Atacama trench (south-east Pacific Ocean). ---- *Journal of the Marine Biological Association UK 82*, 205-211.
- TIMOFEYEV, M.A., J.M.SHATILINA & D.I.STOM 2001. Attitude to temperature factor of some endemic amphipods from Lake Baikal and holarctic *Gammarus lacustris.* ---- *Arthropoda Selecta* 10, 93-101.
- TOFT, J.D., J.R.CORDELL & W.C.FIELDS 2002. New records of crustaceans (Amphipoda, Isopoda) in the Sacramento/San Joaquin Delta, California, and application of criteria for introduced species. ---- *Journal of Crustacean Biology 22*, 190-200. (*Crangonyx floridanus* is a new, probably introduced amphipod in the area.)
- UZUNOVA, S. 1995. (An overview of the Crustacea fauna in the Bay of Varna.) ---- *Proceedings Institute of Fisheries, Varna 23*, 158-168. (In Bulgarian. 15 spp of Amph. listed on p. 161)

- UZUNOVA, S. 1996. (Amphipoda in the biocenosis of *Mytilus gallo-provincialis* overgrowths in the Bay of Varna.) ---- *Proceedings of Institute of Fisheries, Varna 24*, 124-131. (In Bulgarian. 21 spp of Amph., see p. 125)
- UZUNOVA, S. 1999. On the biodiversity of the Ponto-Caspian Amphipoda (Crustacea) from the Bulgarian Black Sea coast. ---- *Proceedings Institute of Fisheries, Varna 25*, 175-186. (Deals with 13 spp, of which 2 occur in the open sea.)
- VAATE, A. bij de, K. JAZDZEWSKI, H.A.M. KETELAARS, S. GOLLASCH & G. v.d. VELDE 2002. Geographical patterns in range extension of Ponto-Caspian macroinvertebrate species in Europe. ---- *Canadian Journal of Fisheries and Aquatic Sciences* 59, 1159-1174.
- VÄINÖLÄ, R., J.K.VAINIO & J.U.PALO 2001. Phylogeography of 'glacial relict' *Gammaracanthus* (Crustacea, Amphipoda) from boreal lakes and the Caspian and White Seas. ---- *Canadian Journal of Fisheries and Aquatic Sciences* 58, 2247-2257. (These data do not support the postulated relationship of *Gammaracanthus* to the Eusiridae, nor Bousfield's splitting of the group into several genera.)
- VANDERPLOEG, H.A., T.F.NALEPA, D.J.JUDE, E.L.MILLS, K.T. HOLECK, J.R.LIEBIG, I.A.GRIGOROVICH & H.OJAVEER 2002. Dispersal and emerging ecological impacts of Ponto-Caspian species in the Laurentian Great Lakes. ---- Canadian Journal of Fisheries and Aquatic Sciences 59, 1209-1228.
- VINOGRADOV, G.M. (*Amphipods (Amphipoda*).) ---- Pp 181-184 in A.V.Gebruk (ed.). (Biology of hydrothermal systems). KHK Press. Moskva. (In Russian)
- VOLZ, D.C., T. KAWAGUCHI & G.T.CHANDLER 2002. Purification and characterization of the common yolk protein, vitellin, from the estuarine amphipod, *Leptocheirus plumulosus*. ---- *Preparative Biochemistry and Biotechnology* 32, 103-116.
- WANG, C.L., F. RENAUD & F. THOMAS 2002. Negative influence of *Gammarinema gammari* (Nematoda) on the fecundity of *Microphallus robustopapillus* (Trematoda). Field and experimental evidence. ---- *Journal of Parasitology* 88, 425-427. (Host is *Gammarus insensibilis*)

- WATLING, L., R.H.FINDLAY, L.M.MAYER & D.F.SCHICK 2001. Impact of a scallop drag on the sediment chemistry, microbiota, and faunal assemblages of a shallow subtidal marine benthic community. ---- *Journal of Sea Research 46*, 309-324. ('phoxocephalid and photid amphipods among the worst hit taxa.')
- WATTS, M.M., D. PASCOE & K. CARROLL 2002. Population responses of the freshwater amphipod *Gammarus pulex* (L.) to an environmental estrogen, 17alpha-ethinylestradiol. ---- *Environmental Toxicology & Chemistry 21*, 445-450.
- WELLBORN, G.A. 2002. Trade-off between competitive ability and antipredator adaptation in a freshwater amphipod species complex. ---- *Ecology* 83, 129-136. (The *Hyalella azteca* complex)
- WERNER, I & R. GRADINGER 2002. Under-ice amphipods in the Greenland Sea and Fram Strait (Arctic): Environmental controls and seasonal patterns below the pack ice. ---- *Marine Biology, Berlin 140*, 317-326.
- WIEKING, G. & I. KRÖNCKE 2001. Decadal changes in macrofauna communities on the Dogger Bank caused by large-scale climatic variability. ---- *Senckenbergiana Maritima 31*, 125-141.
- WINFIELD, I., E. ESCOBAR-BRIONES & F. ALVAREZ 2001. (Peracarid crustaceans associated with meadows of *Ruppia maritima* (Ruppiaceae) in Alvarado laggon, Mexico). ---- *Anales del Instituto de Biologia del Universidad Nacional Autonoma de Mexico, Ser. Zoologia* 72, 29-41. (In Spanish).
- YAKHNENKO, V.M., S.G.SHUBENKOV & N.G.MELNIK 2001. (Genetic-biochemical differentiation of Macrohectopus branickii (Dyb.) (Crustacea, Amphipoda) ---- Pp 43-49 in V.V.Takhteev (ed.). (Researches of the water fauna of East Siberia basins.) Irkutsk State University, Irkutsk. 166 pp. (In Russian. The genetic variation is considerable, but the differentiation is low.)
- YAKOVLEV, V. 2000. *Recent state of* Monoporeia affinis, *a malacostracan glacial relict species, in the Imandra lake of the Kola peninsula, Russia.* ---- Pp 71-78 in E. Styczynska-Juriewicz (ed.). Crustacea—relict and rare species. Crangon 4, Gdynia.

YAMADA, Y. & T. IKEDA 2001. Notes on early development and secondary sexual characteristics of the mesopelagic amphipod *Primno abyssalis*. ---- *Bulletin of Fisheries Sciences Hokkaido University 52*, 61-65.

YAMADA, Y. & T. IKEDA 2002. Notes on early development and secondary sexual charateristics of the mesopelagic amphipod *Cyphocaris challengeri* (Gammaridea; Lysiannasidae). ---- *Bulletin of Fisheries Sciences Hokkaido University* 52, 55-59.

YU, O.H., H.Y.SOH & H.-L. SUH 2002. Life history and reproduction of *Synchelidium lenorostratum* (Amphipoda, Oedicerotidae) in a temperate sandy shore, southern Korea. ---- *Journal of Crustacean Biology* 22, 126-134.

YU, O.H., H.Y.SOH & H-L. SUH 2002. Seasonal zonation patterns of benthic amphipods in a sandy shore surf zone of Korea. ---- *Journal of Crustacean Biology* 22, 459-466.

YU, O.H. & H.-L. SUH 2002. Secondary production of *Synchelidium lenorostratum* (Amphipod, Oedicerotidae) on a temperate sandy shore, southern Korea. ---- *Journal of Crustacean Biology* 22, 467-473.

ZDZITOWIECKI, K. & P. PRESLER 2001. Occurrence of Acanthocephala in intermediate hosts, Amphipoda, in Admiralty Bay, South Shetland Islands, Antarctic. ---- *Polish Polar Research* 22, 205-212.

ZMUDZINSKI, L. 2000. *Glacial relict Malacostraca in the lakes of Poland*. --- Pp 79-97 in E. Styczynska-Juriewicz (ed.). Crustacea—relict and rare species.
Crangon 4, Gdynia.

NEW AMPHIPOD TAXA IN AMPHIPOD NEWSLETTER 24

A. ALPHABETIC LIST

New families and subfamilies

Amaryllinae Lowry & Stoddart, 2002
Baikalogammaridae Kamaltynov, 2001
Behningiellidae Kamaltynov, 2001
Carinogammaridae Tachteew, 2000
Crypturopodinae Kamaltynov, 2001
Garjajewiinae Tachteew, 2000
Gmelinoidinae Kamaltynov, 2001

Amaryllidae

Micruropodidae Acanthogammaridae Micruropodidae Iphigenellidae Kamaltynov, 2001

Micruropidinae Kamaltynov, 1999

Micruropodidae

Pallaseidae Tachteew, 2000

Vijayiinae(recte Vijayinae) Lowry & Stoddart, 2002 Amaryllidae

New genera and subgenera

Ancyracanthus (Acanthogammarus) Kamaltynov, 2001 Acanthogammarinae

Aspretus Kamaltynov, 2001 Carinogammarinae

Babr Kamaltynov & Väinölä,

in Kamaltynov, 2001 Pallaseidae Amaryllidae

Bamarooka Lowry & Stoddart, 2002 Abyssogammarinae Barguzinia Kamaltynov, 2001 Bazikalovia Tachteew, 2000 Pachyschesidae

Berchinia Kamaltynov, 2001 Odontogammarinae Burchania Tachteew, 2000 Pallaseidae

Caecogammarus (Plesiogammarus)

Kamaltynov, 2001 Plesiogammarinae

Cornugammarus Kamaltynov, 2001 Acanthogammarinae Dedyuola Kamaltynov, 2001 Acanthogammarinae Devo Lowry & Stoddart, 2002 Amaryllidae Vijayinae Diplacanthus Kamaltynov, 2001 Acanthogammarinae Dorogostaiskia Kamaltynov, 2001 Acanthogammarinae Eremogammarus Kamaltynov, 2001 Carinogammarinae

'Weckeliids' Indoweckelia Holsinger & Ruffo, 2002

Lamogammarus (Sluginella)

Kamaltynov, 2001 Abyssogammarinae

Laxmannia Kamaltynov, 2001 Abyssogammarinae Micruropodinae

Linevichella Kamaltynov, 2001 Oxyacanthus Kamaltynov, 2001 Acanthogammarinae Nyctoporea Kamaltynov, 2001

Pallaseopsis Kamaltynov & Väinölä,

Pallaseidae In Kamaltynov, 2001 Aoridae Paragrandidierella Aruyama, 2002

Pretiositus (Ommatogammarus)

Kamaltynov, 2001 Odontogammarinae

Poekilogammarinae

Profundalia Kamaltynov, 2001 Odontogammarinae Sentogammarus Kamaltynov, 2001 Plesiogammarinae Sluginella Kamaltynov, 2001 Abyssogammarinae

Supernogammarus Kamaltynov, 2001 Plesiogammarinae Tanzacaprella Guerra-Garcia, 2001 Caprellidae

Tengisia Kamaltynov, 2001 Odontogammarinae

Amaryllidae

New species and subspecies

acanthogammarii (Pachyschesis) Tachteew, 2000 Pachyschesidae anomala (Bamarooka) Lowry & Stoddart, 2001 Amaryllidae bacescui (Tanzacaprella) Guerra-Garcia, 2001 Caprellidae bassi (Lepidepecreoides) Lowry & Stoddart, 2002 Tryphosinae baudini (Lepidepecreum) Lowry & Stoddart, 2002 Tryphosinae bekmanae (Echiuropus) Mekhanikova, Chapelle & De Broyer, 2001 Carinogammarinae brevicalcar (rev.) (Westwoodilla) (Jansen, 2002) Oedicerotidae bumammus (Pachyschesis) Tachteew, 2000 Pachyschesidae caerulea (Mallacoota)

Appadoo, Myers & Fagonee, 2002 Melitidae carrascoi (Amaryllis) Lowry & Stoddart, 2002 Amaryllidae caulerpensis (Caprella)

Guerra-Garcia, Sanchez-Moyano & Garcia-Gomez, 2002 Caprellidea ceutae (Caprella) Guerra-Garcia & Takeuchi, 2001 Caprellidea chevronia (Nedsia) Bradbury, 2002 'melitids' chiloensis (Hyalella) Gonzalez & Watling, 2001 Hyalellidae chincui (Lepidepecreoides) Lowry & Stoddart, 2002 Tryphosinae chanhui (Sinogammarus) Hou & Li, 2002 Gammaridae costera (Hyalella) Gonzalez & Watling, 2001 Hyalellidae croca (Amaryllis) Lowry & Stoddart, 2002 Amaryllidae Pachyschesidae cucuschonok (Pachyschesis) Tachteew, 2000 dianae (Amaryllis) Lowry & Stoddart, 2002 Amaryllidae dinjerra (Bamarooka) Lowry & Stoddart, 2002 Amaryllidae dominicanus (Metacrangonyx) Jaume & Christensen, 2001 dubuc (Devo) Lowry & Stoddart, 2002 Amaryllidae Vijayinae endota (Bamarooka) Lowry & Stoddart, 2002 Amaryllidae

flindersi (Lepidepecreum) Lowry & Stoddart, 2002Tryphosinae freycineti (Lepidepecreum) Lowry & Stoddart, 2002 Tryphosinae

gracilispinus (Acanthogammarus godlewskii)

Kamaltynov, 2001 Acanthogammarinae grahami (Devo) Lowry & Stoddart, 2002 Amaryllidae Vijayinae halleti (Nedsia) Bradbury, 2002 Melitids helle (Westwoodilla) Jansen, 2002 Oedicerotidae indiscretus (Pachyschesis) Tachteew, 2000 Pachyschesidae inquilinus (Pachyschesis) Tachteew, 2000 Pachyschesidae jareckii (Podocerus) Baldinger & Gable, 2002 Podoceridae

kamata (Amaryllis) Lowry & Stoddart, 2002	Amaryllidae
kapala (Bathyamaryllis) Lowry & Stoddart, 2002	Amaryllidae Vijayinae
karabanovi (Pachyschesis) Tachteew, 2000	Pachyschesidae
karamani (Carinurus) Kamaltynov, 2001	Acanthogammarinae
keablei (Amaryllis) Lowry & Stoddart, 2002	Amaryllidae
kimbla (Bamarooka) Lowry & Stoddart, 2002	Amaryllidae
kochi (Hyalella) Gonzalez & Watling, 2001	Hyalellidae
lamakini (Pachyschesis) Tachteew, 2000	Pachyschesidae
lappaceus (Acanthogammarus) Tachteew, 2000	Acanthogammarinae
linevitschae (Hyalellopsis) Kamaltynov, 2001	Hyalellopsinae
longispinus (Acanthogammarus lappaceus)	Tryateriopsinae
Tachteew, 2000	Acanthogammarinae
macrocephala (rev.) (Apherusa)	Acammogammarmae
Krapp-Schickel & Kulla,	2002 Calliopiidae
maligna (Pallasea) Tachteew, 2000	Pallaseidae
margaritae (Deutella) Guerra-Garcia, 2002	Caprellidea
maroccanus (Gammarus) Fadil & Dakki, 2001	Gammaridae
megalops (rev.) (Westwoodilla) Jansen, 2002	Oedicerotidae
micheli (Quadrimaera)	3.6.15.1.1
Appadoo, Myers & Fagonee, 2002	Melitidae
migo (Amaryllis) Lowry & Stoddart, 2002	Amaryllidae
minima (Paragrandidierella) Ariyama, 2002	Aoridae
mirandella (Quadrimaera)	
Appadoo, Myers & Fagonee, 2002	Melitidae
moona (Amaryllis) Lowry & Stoddart, 2002	Amaryllidae
morrocoyensis (Tiburonella)	
Ortiz, Martin & Atienza, 2000	Platyischnopidae
olinda (Amaryllis) Lowry & Stoddart, 2002	Amaryllidae
ollii (Andaniexis) Berge, De Broyer & Vader, 2000	Stegocephalidae
onubensis (Parvipalpus)Guerra-Garcia,	
Garcia-Asencio & Sanchez-Moyano, 2	2001 Caprellidea
philatelica (Amaryllis) Lowry & Stoddart, 2002	Amaryllidae
pinguiculus (Pachyschesis) Tachteew, 2000	Pachyschesidae
pseudorapax (Caprella) Guerra-Garcia,	•
Sanchez-Moyano & Garcia-Gomez,2	2001 Caprellidea
quokka (Amaryllis) Lowry & Stoddart, 2002	Amaryllidae
rarus (Pachyschesis) Tachteew, 2000	Pachyschesidae
sabulensis (Caprella) Guerra-Garcia,	1 delly selfestade
Sanchez-Moyano & Garcia-Gomez, 2001 Caprellidea	
samanensis (Metacrangonyx) Jaume & Christensen, 2001	
sheardi (Pseudopleonexes) Just, 2002	Ampithoidae
stieur ar (1 seudopteottenes) Just, 2002	Ampinioluae

sideljowae (Pachyschesis) Tachteew, 2000 Pachyschesidae sitnikovae (Parapallasea borowskii) Tachteew, 2000 Parapallaseinae Amaryllidae spencerensis (Amaryllis) Lowry & Stoddart, 2002 stefania (Nedsia) Bradbury, 2002 melitids stelleri (Micruropus) Kamaltynov, 2001 Micruropodinae superstes (Indoweckelia) Holsinger & Ruffo, 2002 weckeliids talboti (Lepidepecreoides) Lowry & Stoddart, 2002 Tryphosinae tanzaniensis (Paradeutella) Guerra-Garcia, 2001 Caprellidea Micruropodinae tomilovi (Micruropus) Kamaltynov, 2001 tone (Westwoodilla) Jansen, 2002 Oedicerotidae torresi (Lepidepecreoides) Lowry & Stoddart, 2002 Tryphosinae tourville (Lepidepecreum) Lowry & Stoddart, 2002 Tryphosinae tropicalis (Bamarooka) Lowry & Stoddart, 2002 Amaryllidae Pachyschesidae vorax (Pachyschesis) Tachteew, 2000

warra (Elasmopus) Kelaher & Lowry, 2001
 watlingi (Phippsiella) Berge, De Broyer & Vader, 2000
 Melitidae
 Stegocephalidae
 wonga (Wonga) Lowry & Stoddart, 2002
 Amaryllidae

B. Systematic index

Here the new classification of Baikal amphipods by Kamaltynov (2001) (for extract see further down in AN 24) is followed. The Lysianassoidea are still kept together, however, awaiting their monographic treatment by Lowry & Stoddart, although the new taxa are grouped in the more restricted families in this group. 'hadziids' and 'weckeliids' are kept as informal groups also this time.

Acanthogammaridae

Acanthogammarus godlewskii GRACILISPINUS, LAPPACEUS, lappaceus LONGISPINUS.

Acanthogammarus (ANCYRACANTHUS)

ASPRETUS

BERCHINIA

Plesiogammarus (CAECOGAMMARUS)

Carinurus KARAMANI

CORNUGAMMARUS

DEDYUOLA

DIPLACANTHUS

Echiuropus BEKMANAE

EREMOGAMMARUS GARJAJEWIINAE Hyalellopsis LINEVITSCHAE

NYCTOPOREA

OXYACANTHUS

Parapallasea borowskii SITNAKOVAE

SENTOGAMMARUS

SUPERNOGAMMARUS

Ampithoidae

Pseudopleonexes SHEARDI

Aoridae

PARAGRANDIDIERELLA MINIMA

BAIKALOGAMMARIDAE

BEHNINGIELLIDAE

Calliopiidae

Apherusa MACROCEPHALA

Caprellidea

Caprella CAULERPENSIS, CEUTAE, PEUDORAPAX, SABULENSIS

Deutella MARGARITAE

Paradeutella TANZANIENSIS

Parvipalpus ONUBENSIS

TANZACAPRELLA BACESCUI

Eulimnogammaridae

BARGUZINIA

BERCHINIA

Sluginella (LAMOGAMMARUS)

LAXMANNIA

Ommatogammarus (PRETIOSITUS)

PROFUNDALIA

SLUGINELLA

TENGISIA

Gammaridae

Sinogammarus CHANHUI

'hadziids'

Metacrangonyx DOMINICANUS, SAMANENSIS Nedsia CHEVRONIA, HALLETI, STEFANIA

Hyalellidae

Hyalella CHILOENSIS, COSTERA, KOCHI

IPHIGENELLIDAE

Lysianassoidea

Amaryllidae

Amaryllis CARRASCOI, CROCA, DIANAE, KAMATA, KEABLEI, MIGO, MOONA, OLINDA, PHILATELICA, QUOKKA, SPENCERENSIS

Bathyamaryllis KAPALA

BAMAROOKA ANOMALA, DINJERRA, ENDOTA, KIMBLA, TROPICALIS

DEVO DUBUC, GRAHAMI

VIJAYINAE

WONGA WONGA

Tryphosinae

Lepidepecreoides BASSI, CHINCUI, TALBOTI, TORRESI Lepidepecreum BAUDINI, FLINDERSI, FREYCINETI, TOURVILLE

Melitidae

Elasmopus WARRA Mallacoota CAERULEA Quadrimaera MICHELI, MIRANDELLA

Micruropodidae

CRYPTUROPODINAE
GMELINOIDINAE
LINEVICHELLA
MICRUROPODINAE
Micruropus STELLERI, TOMILOVI

Oedicerotidae

Westwoodilla BREVICALCAR, HELLE, MAGALOPS, TONE

Pachyschesidae

BAZIKALOVIA

Pachyschesis ACANTHOGAMMARII, BUMAMMUS, CUCUSCHONOK, INDISCRETUS, INQUILINUS, KARABANOVI, LAMAKINI, LINGUICULUS, RARUS, SIDELJOWAE, VORAX

PALLASEIDAE

BABR BURCHANIA Pallasea MALIGNA PALLASEOPSIS

Platyischnopidae

Tiburonella MORROCOYENSIS

Podoceridae

Podocerus JARECKII

Stegocephalidae

Andaniexis OLLII Phippsiella WATLINGI

weckeliids

INDOWECKELIA SUPERSTES